

# SIDE WALL AWNINGS

SIDELINE  
SIDELINE SLOPE



AS PRIVATE  
AS YOU WANT



**SIDELINE**  
With patented rolling brake system  
for safe and controlled retraction.



**SIDELINE SLOPE**  
Inclined model with patented  
rolling brake system for safe and  
controlled retraction.



## ADVANTAGES

### TO PROTECT AGAINST SUNRAYS ENTERING FROM THE SIDE – AND KEEP OUT PRYING EYES

With the SIDELINE vertical or side wall awning from **WOUNDWO**, treat yourself to a side-mounted privacy screen, windbreak and anti-glare protection for patios, balconies and the gastronomy sector. SIDELINE can be ideally combined with a jointed-arm awning, conservatory awning or pergola awning from **WOUNDWO**. Choose from vividly coloured, more subtle and subdued, opaque or transparent fabrics in our collection.

### 5-YEAR GUARANTEE

Like all our awnings, the SIDELINE range is CE tested. High-quality and corrosion-resistant materials and coatings guarantee you a durable product which will enable you to enjoy every ray of sunshine.

## FAST, EASY OPERATION

The system is extended manually by pulling down the ergonomically shaped pull handle, which is clipped on the opposite side of the support column. When placed on secure and level surfaces a roller serves as a retraction aid, thereby making the job of extending and retracting the awning much easier.



## SAFE AND ROBUST

The SIDELINE can be used as an upright or inclined system – whichever suits your patio. The patented SLOWMOTION rolling braking system enables safe, controlled and smooth retraction of the SIDELINE from all positions, without undue effort. The mechanism also stops the pull handle from impacting heavily against the cassette, ensuring a long lifespan.



### SECURE LOCK

A safety system in the handle prevents accidental release by children, animals or wind and protects against damage and injury.

# COLOURS, DESIGNS AND FABRICS

## MORE THAN JUST A FABRIC!

The sun means life. But even as it gives life, the sun is also emitting harmful UV radiation. The blind of a side wall awnings protects, shades, designs, decorates and influences the mood by displaying a choice of colours. The fabric is a mood-enhancing element. It influences your personal wellbeing by filtering light, colouring light and therefore giving the room and the surroundings a very particular colour atmosphere. This effect is determined principally by the colour, pattern and translucency of the blind fabric.

## SATINE 5500

Excellent heat insulation: up to 90% of solar energy is filtered when applied externally.

- Very good antiglare protection provided by the diagonal satiné weave with simultaneous optimal daylight incidence: up to 96% of light radiation is filtered
- Transparency: clear view of outside
- Resistant to weathering

## LUMERA SOLIDS

This premium awning fabric is characterised by particularly brilliant colours, whose high luminosity lasts an extraordinarily long time. This is due to the very smooth and dense surface of the fabric, which makes it harder for dirt to adhere (effective self-cleaning effect). The fabric is also extremely water repellent.

## ACRYLIC SOLIDS

With their material properties and special surface finish, acrylic awning blind fabrics have proven to have excellent dirt-repellent qualities. Acrylic fabrics are distinguished in particular by a wide selection of strong colours. In addition to all these positive properties, sun protection is not neglected – the UV protection of these fabrics varies from factor 40 to factor 80.

## TWILIGHT

The quality of Twilight fabrics sets new standards! Twilight fabrics are made from polyester fibres and have been specially developed for vertical shading. The fabric structure provides optimal protection against light and solar radiation, as well as low area weight. Twilight fabrics are high-tech and odourless fabric products for sophisticated requirements and give every awning a refined, modern appearance.


## FRAME COLOURS

With over 200 RAL frame colours and more than 350 fabrics, you can find your favourite awning at **WOUNDWO** – however unusual the request! There's a perfect awning model for virtually all dimensions and styles.




## HANDLES

You can select your choice of handle for the SIDELINE, giving it a unique style. Choose from natural wood, puristic Niro, or transparent acrylic.





# SIDELINE



**SIDELINE**  
side wall awnings  
Max. height 2,500 mm  
Max. projection 4,000 mm

The vertical awning serves as a privacy screen, windbreak and antiglare protection for patios, balconies and outdoor seating areas. The opening of the system is done by pulling out the front profile which is then attached to the column profile at the opposite side. The tension of the cover is generated by a spring loaded system in the roller tube. Fibreglass reinforcements are inserted in the hemstitching of the seams to improve the strength of the fabric.

## THE BENEFITS TO YOU

- 5-year guarantee
- Awning fabric retracts fully into the cassette
- SLOWMOTION - integrated braking system
- Secure Lock safety system optional
- Range of optional fastenings for the column profile
- Range of pull handles optional
- Mounting on PERGO-LINE optional
- over 200 RAL colours and more than 350 fabrics
- Highly weather-proof fabric, dirt-repellent and light-fast
- Very good wind stability

## OPERATION



Pulling handle



### RETRACTION AID

When placed on secure and level surfaces a roller serves as a retraction aid, thereby making the job of extending and retracting the awning much easier.



### SLOWMOTION

The patented rolling braking system enables safe, controlled and smooth retraction of the SIDELINE from all positions, without undue effort. In addition, the mechanism prevents any violent striking of the front profile on the cassette, thereby protecting it from damage in the event of an accidental operating error.

# SIDELINE SLOPE



The vertical awning serves as a privacy screen, windbreak and antiglare protection for patios, balconies and beer gardens. In its Slope variant, the SIDELINE side wall awning is also a perfect addition to a jointed-arm awning. The opening of the system is done by pulling out the front profile which is then attached to the column profile at the opposite side. The tension of the cover is generated by a spring loaded system in the roller tube. Fibreglass reinforcements are inserted in the hemstitching of the seams to improve the strength of the fabric.


## THE BENEFITS TO YOU

- 5-year guarantee
- Awning fabric retracts fully into the cassette
- SLOWMOTION - integrated braking system
- Secure Lock safety system optional
- Range of optional fastenings for the column profile
- Range of pull handles optional
- Mounting on PERGO-LINE optional
- over 200 RAL colours and more than 350 fabrics
- Highly weatherproof fabric, dirt-repellent and light-fast
- Very good wind stability

## OPERATION



Pulling handle



## SIDELINE SLOPE

side wall awnings  
with an oblique angle of 1 - 20°  
Max. width 2,500 mm  
Max. projection 4,000 mm



## RETRACTION AID

When placed on secure and level surfaces a roller serves as a retraction aid, thereby making the job of extending and retracting the awning much easier.



## SLOWMOTION

The patented rolling braking system enables safe, controlled and smooth retraction of the SIDELINE from all positions, without undue effort. In addition, the mechanism prevents any violent striking of the front profile on the cassette, thereby protecting it from damage in the event of an accidental operating error.



# PRODUCT OVERVIEW

<b>PRODUCT</b>	<b>SIDELINE</b>	<b>SIDELINE SLOPE</b>
Height*	1,350 - 2,500 mm	1,350 - 2,500 mm
Projection*	1,000 - 4,000 mm	1,000 - 4,000 mm
Aluminium frame colour	All RAL K7 CLASSIC colours	All RAL K7 CLASSIC colours
Standard operation	Pulling handle	Pulling handle
Parapet mounting	✓	✓
Ground mounting pillar	✓	✓
Wall mounting pillar	✓	✓
Installation in window reveal	✓	✓
Different handles	✓	✓
Lawn thorn for ground mounting	✓	✓
Slowmotion wind-up braking system	✓	✓

\* Depending on product design

# WE ARE SUNLIGHT DESIGN

WO&WO Sonnenlichtdesign GmbH & Co KG  
Hafnerstraße 193, 8054 Graz, AUSTRIA  
[www.woundwo.com](http://www.woundwo.com)

AUSTRIA  
T +43 (0)316 2807-0  
[office@woundwo.at](mailto:office@woundwo.at)

GERMANY  
T +49 (0)7152 3381130  
[office@woundwo.de](mailto:office@woundwo.de)

SWITZERLAND  
T +41 (0)71 955 04 80  
[office@woundwo.ch](mailto:office@woundwo.ch)

FRANCE  
T +33 (0)1 60 06 19 51  
[office@woundwo-france.com](mailto:office@woundwo-france.com)

YOUR **WOUNDWO** DEALER

© **WOUNDWO**, Q2 2022